

Strathtulloh

Atherstone

\$590,669

MetInvest 

Lot 3645, Grappenhall Avenue, Land size 356 sqm²

 4

 2

 2

PROMO OFFER



Specifications	
 4	 2
 2	
Property Type	House & Land
Contract Type	2 Part Contract
Titled	No
Estimated Date	12/2022
Land Area	356 sqm
Total House Area	209.06 sqm
Land Price	\$291,000
House Price	\$299,669
Total Price	\$590,669
Design	Parliament 209
Facade	Traditional
Reservation Deposit	\$2,000
Specification	MetInvest Complete Inclusion



We work with communities, clients and our colleagues to create positive legacies from funding a project right through to developing and constructing state of the art buildings and infrastructure, including hospitals, roads and bridges. We also create vibrant residential communities, productive workplaces and retail destinations.




 **Sales Partner:** Gary McAvoy
 041906770787
 director@buildingassistanceaustralia.com.au



Total House Area includes (if applicable): ground & first floor, portico, balcony/terrace and garage areas. Total squares & building size of the home is calculated by measuring from the external side of external walls. Where no external wall exists for the purpose of measuring building area (such as porticos, balconies or outdoor rooms), Metricon assumes a straight line between the exterior of walls or columns. Individual home designs may vary. Listings subject to availability and change without notice. See your sales consultant for lot specific drawings. MetInvest by Metricon is a division of Metricon Homes Pty Ltd. ACN 005108752.

Parliament 209



House Area:	158.50 m ² (17.06 squares)
Garage Area:	36.20 m ² (3.90 squares)
Outdoor Room:	9.36 m ² (1.01 squares)
Porch Area:	5.00m ² (0.54 squares)
Total Area:	209.06 m² (22.50 squares)
Min. Block Width:	12.50 m
Total Length:	21.35 m
Total Width:	11.03 m

Note:
This product fits on a 12.5m wide x 28m deep allotment.

1300 METRICON
metricon.com.au



LOVE WHERE YOU LIVE

HOME INCLUSIONS

MetInvest by Metricon

EXTERNAL FEATURES

BRICKWORK	Clay bricks. Pre-selected from builder's MetInvest colour schemes
MORTAR JOINTS	Natural colour, raked joints
ROOF TILES	Concrete roof tiles. Pre-selected from builder's standard range
ROOF PLUMBING	Colorbond® or Colorcote metal fascia and barge, quad gutter with rectangular downpipes
EXTERNAL RENDER	Acrylic texture coating render. Pre-selected from builder's standard range (facade specific, refer working drawings for extent of cover)
LIGHTWEIGHT CLADDING	Fibre cement products to areas as per standard working drawings (product specific)
ENTRY DOOR	Front Door: Pre-selected from builder's standard range - 2040 x 820 mm BAL 12.5 compliant
LAUNDRY DOOR	Hinged Door Only. Paint finished, flush panel, 2040mm high with clear glass panel to top section (product specific)
DOOR FURNITURE	Front Door: Entry set and deadbolt External Hinged Door: Entry set keyed alike to front door
DOOR FRAMES	Front Door: Aluminium, powder coat finish, clear glazed sidelights (product specific) Laundry (Sliding Door): Aluminium, powder coat finish
WINDOWS	Aluminium sliding, powder coat finish. Feature windows to front facade (product specific) Keyed locks to openable windows
INSECT SCREENS	Windows: Aluminium framed, powder coat finished to match windows with fibreglass mesh fitted to all openable windows of house only Sliding Doors: Aluminium framed, powder coat finished to matched doors with grilled barrier and fibreglass mesh fitted to all sliding doors Hinged Doors: Aluminium framed, powder coat finished, with grilled barrier and fibreglass mesh fitted to hinged laundry doors only

FRAMING

WALLS	Stabilised timber framing throughout 90mm external and internal walls
ROOF	Stabilised timber roof trusses

INSULATION

CEILING	R4.0 glasswool batts to house only
EXTERNAL WALLS	R2.0 glasswool batts (including party wall between house and garage) plus weather wrap, joins in weather wrap to be taped and gaps around windows/doors sealed

PAINTWORK

COLOUR	All paint colours to be selected from builder's standard selection Category 1
EXTERNAL	Front Door: Sealer undercoat with enamel gloss top coats
INTERNAL	Woodwork and Doors: Sealer undercoat with satin acrylic top coats (doors, skirting and architraves to be one colour) Ceilings: Flat acrylic (one colour throughout) Walls: Two tinted coats low sheen acrylic (one colour throughout)

INTERNAL FEATURES

CEILING HEIGHT	Single Storey: 2400mm throughout Double Storey: 2400mm throughout to ground floor and 2400mm to first floor
ROOM DOORS	Flush panel 2040mm high
ROOM DOOR FURNITURE	Pre-selected from builder's Category 1
MOULDINGS	Skirtings: 67mm high Architraves: 67mm wide
HEATING	Gas ducted 3 star heating unit installed in roof space with digital manual thermostat and ducted to living areas and bedrooms throughout (excludes wet areas). Total number of points and unit size are product specific – refer to working drawings
COOLING	Inverter high wall split system air conditioning unit with manual controller to family/dining area (product specific)
WINDOW FURNISHINGS	Roller blinds: To all windows. Colour pre-selected from builder's standard range
STAIRS (DOUBLE STOREY HOMES)	KDHW handrail, clear polyurethane finish, 14mm diameter matt black etch paint metal balusters, MDF cut stringer, treads and risers, gloss paint finished

HOME INCLUSIONS

MetInvest by Metricon

APPLIANCES

HOT PLATE	Stainless steel, gas, 600mm wide
RANGEHOOD	Stainless steel, 600mm wide canopy rangehood, with 4-speed recirculating fan
DISHWASHER	Stainless steel dishwasher including single powerpoint and water point
OVEN	Stainless steel electric, 600mm

CABINETRY

CUPBOARDS	Fully lined modular cabinets
OVERHEAD CUPBOARDS	Up to 600mm high x 300mm wide (nom) overhead cupboards to both sides of rangehood To kitchen only, refer to working drawings for extent
DOORS/DRAWERS	Standard laminate pre-selected from builder's standard colour schemes
CABINETRY HANDLES	From builder's standard colour schemes

KITCHEN

SINK	Stainless steel 1200mm with 1¼ bowl
TAP	Bristol sink mixer
MICROWAVE PROVISION	600w incorporated in kitchen base cupboards and vented into adjacent cupboard space, including single power point. (Not included in all homes, refer working drawings for standard inclusions)
BENCH TOPS	20mm stone benchtop from builder's standard colour schemes

BATHROOM / ENSUITE

MIRRORS	Silver backed, polished edge or aluminium framed, seated on vanity
BASINS	Base oval vanity with white acrylic waste
BATH	White acrylic with matching waste
SHOWER BASES	White polymarble with matching waste
SHOWER SCREENS	Semi-frameless with pivot door and clear, laminated glass
TAP AND OUTLETS	Bath: Mixer lever and spout Basin: Mixer lever Shower: Mixer lever with all-directional shower head on slide rail
TOILET SUITE	Toilet pan with white acrylic cistern and seat and chrome mini cistern stop
TOWEL RAILS/ TOILET ROLL HOLDERS	Metal double towel rails to bathroom and ensuite Toilet roll holders to ensuite and WC (product specific)
BENCH TOPS	20mm stone benchtop from builder's standard colour schemes

SUSTAINABLE ENERGY

SOLAR HOT WATER	Gas mains pressure hot water unit with one solar collector, 200 litres storage
DRAFT EXCLUSIONS	Exhaust Fans: Backdraft shutter incorporated in exhaust fan Entry frames: Full perimeter draft seals to all entry door frames excluding garage external pedestrian door

LANDSCAPING

PAVING	Up to 36m² of coloured concrete paving to driveway, front of garage to front boundary and from driveway to front porch
LANDSCAPING	Low maintenance landscaping package pre-selected from builder's standard range
LETTERBOX	Metricon model 1 pre-formed concrete letterbox with street number
CLOTHESLINE	Single folding frame wall mounted clothesline with optional post kit
FENCING	1900mm high treated pine timber paling fencing, tapered to 900mm at front boundary Single paling gate with latch on metal frame

LAUNDRY

TROUGH & CABINET	Stainless steel 45 litre single bowl with bypass and white metal cabinet underneath with mini washing machine stop taps inside cabinet
TAP TO TROUGH	Mixer lever set (over trough only)

STORAGE

(PRODUCT SPECIFIC)

SHELVING	Robes: One white melamine shelf and hanging rail Walk in Robe: One white melamine shelf and hanging rail Pantry/Linen: Four white melamine shelves Broom: One white melamine shelf
DOORS	Robes: 2065mm high, vinyl clad finish, frame and vinyl colour selected from builder's selection Category 1 Walk in Robe: No Doors: Open shelving only where no doors are indicated on working drawings (refer working drawings for standard inclusion) Built in Robe: With Doors: Hinged doors. Product specific, refer to working drawings for standard inclusion Pantry, Linen, Broom: Flush panel, 2040mm high hinged doors
STORAGE HANDLE	Same as cabinetry handle

HOME INCLUSIONS

MetInvest by Metricon

ELECTRICAL

POWER POINTS	Double outlets throughout excluding dishwasher, microwave provision and refrigerator (product specific, refer to working drawings)
INTERNAL LIGHT POINTS	Fixed batten holder with Gail light fitting to all light points. LED downlights to living areas and entry
EXTERNAL LIGHT POINTS	LED to entry and weather proof adaptor light to rear as per drawings. Paraflood lights with sensor to rear and laundry door
SWITCH PLATES	Slimline coloured bakelite (wall mounted where practical)
LIGHT SWITCHES	Clipsal Impress push button
SMOKE DETECTOR	Hardwired with battery backup
EXHAUST FANS	Above showers and toilets not opening to outside air
TV POINTS	UHF/VHF digital compatible antenna on 1.8m mast and RG6 quad coaxial cable connected to two wall plates as per working drawings.
TELEPHONE POINT	Two points with wall plate and trenching Underground connection to supply pit is included with maximum 20 metres
SAFETY SWITCH	RCD safety switch and circuit breakers to meter box
ANTENNA	Metro antenna package

FLOORING

WALL TILES AND BATH HOB	Ceramic wall tiles to areas as per standard working drawings. Pre-selected from builder's standard range Plain aluminium 'L-shape' angle trim to bath hob/riser junction
SKIRTING TILES	100mm high ceramic floor or wall tiles to laundry, bathroom, ensuite and toilet/s as per standard working drawings. Pre-selected from builder's standard range
FLOORING	Ceramic tiling to laundry, bathroom, ensuite, powder room (S) and water closets as per standard working drawing selected from builder's selection Category 1

LAMINATE FLOORING	Laminate 3 strip floating floor, moisture resistant underlay to entry through to kitchen, including pantry, family and dining
CARPET	Carpet to all bedrooms, rear hallway, sitting, rumpus (product specific). Excludes wet areas, entry (through to kitchen), kitchen, pantry, dining and family. Pre-selected from builder's standard range

GARAGE

GENERAL	Brick garage with tiled hip roof including Colorbond® sectional overhead door to front, plaster ceiling, concrete floor, brickwork over front door, with brickwork over (product specific - refer to working drawings for garage size and front door width)
EXTERNAL WALLS	Brick veneer
GARAGE DOOR	Remote control unit to front garage door with three transmitter units Ember seals to Colorbond® sectional door
EXTERNAL PEDESTRIAN DOOR	Door Frame: Timber with sealer undercoat and low sheen acrylic top coats paint finish (product specific) Door: 2040mm high weatherproof flush panel with sealer undercoat and low sheen acrylic top coats paint finish, opening in Door Furniture: Entry set keyed alike to front door
INTERNAL ACCESS DOOR	Door Frame: Timber with sealer undercoat and low sheen acrylic top coats paint finish (product specific) Door: Flush panel with sealer undercoat and low sheen acrylic top coats paint finish, opening into home Door Furniture: Entry set keyed alike to front door

GENERAL ALLOWANCES

Raft/waffle pod slab construction up to Class M classification (Note: raft slab to be only used at the discretion of MetInvest by Metricon). Connection of underground power, water supply, stormwater drains, sewerage system and gas supply based on building maximum setback 6000mm to dwelling. Fall of land up to 300mm over building area



All Metricon homes are designed and built with sustainability in mind. A 6 star energy rating ensures even greater comfort, reduced greenhouse gas emissions and savings on your utility bills. Conditions apply.*

MetInvest by Metricon's standard specification is subject to change without notice and MetInvest by Metricon reserves the right to substitute items with equivalent products at any time and to use alternative suppliers other than where specified in the new home contract. *Metricon will ensure 6 star energy efficiency on all standard homes on all orientations when built on a concrete slab, however additional costs may be incurred by the purchaser in the event that the purchaser requests design alterations, including timber floor construction, or if the developer dictates design controls over the home. The MetInvest by Metricon specification excludes HomeSolution, Freedom, Designer and Signature ranges and only applies in the Melbourne Metro and Regional Victoria building regions, see www.metricon.com.au/build-regions. NSW Contractor's Licence: 174699C; SA Builder's Licence: BLD231776. Metricon Homes QLD Pty Ltd is licensed under the Queensland Building and Construction Commission Act 1991 (QBCC Licence 40992) and in NSW (Contractor's Licence: 36654C). MetInvest is a division of Metricon Homes Pty Ltd (ACN 005108752). Current as of 26 May 2021. MAY2021 MET4178

THE METRICON DIFFERENCE



You're choosing a builder with over 40 years of experience, who has helped thousands of Australian families to truly love where they live. With all that experience, you can be sure that your home is being built to industry leading standards, and that we will look after you along the way. We're with you every step of your exciting home building journey.



Our homes are designed to celebrate you. This is why we continually strive to create innovative, award-winning designs that help you make the most of your home and the life you live in it.



Metricon has a stringent Quality Assurance process to guarantee consistency in each of our completed homes. This process ensures our homes are built in accordance with building laws and legal requirements.



Metricon offers a valuable and reassuring Lifetime Structural Guarantee* on many of our homes. This offers you peace of mind for the length of your ownership of your beautiful Metricon home. No wonder Metricon is Australia's most trusted builder.



Trust. It's what has made us Australia's No. 1 home builder[^], 5 years running.



Real customers rate their experience with Metricon via the Product Review website. Product Review is completely independent – real customers volunteering real opinions and real reviews. Metricon prides itself on high Product Review ratings and positive feedback.




Natural Oak



BENCHTOP

SILESTONE Gris Expo




CABINETRY

Formica Baikal
Kitchen base cabinetry



CABINETRY

LAMINEX Sublime Teak
Kitchen overhead cupboards, laundry,
bathroom & ensuite base cabinetry



WALL TILES THROUGHOUT

BEAUMONT TILES Unite White Gloss 200x400



FLOOR TILES

BEAUMONT TILES Valencia Stone Grey 400x400
Laundry, Bathroom & Ensuite.




LAMINATE FLOORING

PERFECT TIMBER FLOORS Rustic Oatmeal




CARPET

WEAVE SCAPE Natural Oak




INTERNAL PAINT COLOUR

DULUX Natural White



CEILING PAINT COLOUR

DULUX Lexicon Quarter



ROLLER & VERTICAL BLINDS

LOVELIGHT Zen Cashmere
Niagara range (Blockout)

Sand Dune



BENCHTOP

SILESTONE Blanco City



CABINETRY

FORMICA Warm White


Kitchen, laundry, bathroom & ensuite
base cabinetry



CABINETRY

FORMICA Mulga

Overhead cabinetry



WALL TILES THROUGHOUT

BEAUMONT TILES Unite White Gloss 200x400



FLOOR TILES

BEAUMONT TILES Valencia Stone Beige 400x400

Laundry, Bathroom & Ensuite.




LAMINATE FLOORING

PERFECT TIMBER FLOORS Rustic Rye




CARPET

WEAVE SCAPE Sand Dune



INTERNAL PAINT COLOUR

DULUX Natural White



CEILING PAINT COLOUR

DULUX Lexicon Quarter



ROLLER & VERTICAL BLINDS

LOVELIGHT Zen Mario

Niagara range (Blockout)

Mineral




BENCHTOP

SILESTONE Blanco Norte



CABINETRY THROUGHOUT

Formica Sarum Grey



WALL TILES THROUGHOUT

BEAUMONT TILES Unite White Gloss 200x400



FLOOR TILES

BEAUMONT TILES Valencia Stone White 400x400
Laundry, Bathroom & Ensuite.




LAMINATE FLOORING

PERFECT TIMBER FLOORS Rustic Rye




CARPET

WEAVE SCAPE Mineral



INTERNAL PAINT COLOUR

DULUX Natural White



CEILING PAINT COLOUR


DULUX Lexicon Quarter



ROLLER & VERTICAL BLINDS

LOVELIGHT Zen Mario
Niagara range (Blockout)

Musket Haze



BRICKWORK

SELKIRK Musket Haze
Natural rolled mortar



ROOF

SMOKE
Curved profile



GUTTER, FASCIA & DOWNPIPES

COLORBOND Monument



CONCRETE DRIVEWAY

Gunmetal
Stippled finish




GARAGE DOOR, WINDOWS & DOORS

COLORBOND Monument




RENDER

DULUX Calf Skin



CLADDING & EXTERNAL PAINTED AREAS, FRONT ENTRY DOOR

DULUX Homebush



CEILING LININGS

DULUX Lexicon Quarter

Goldfield Haze



BRICKWORK

SELKIRK Goldfield Haze
Natural rolled mortar



ROOF

SMOKE
Curved profile



GARAGE DOOR, WINDOWS, DOORS & DOWNPIPES
COLORBOND Evening Haze



CONCRETE DRIVEWAY
Gunmetal
Stippled finish




GUTTER & FASCIA
COLORBOND Monument



RENDER & FRONT ENTRY DOOR
DULUX Rogue




CLADDING & EXTERNAL PAINTED AREAS
DULUX Linseed



CEILING LININGS
DULUX Lexicon Quarter

Copperstone



BRICKWORK

SELKIRK Copperstone

Natural rolled mortar



ROOF

SMOKE

Curved profile



GARAGE DOOR, WINDOWS, FRONT ENTRY DOOR & DOORS

COLORBOND Woodland Grey



CONCRETE DRIVEWAY

Gunmetal

Stippled finish



GUTTER, FASCIA & DOWNPIPES

COLORBOND Woodland Grey




RENDER

DULUX Heifer



CLADDING & EXTERNAL PAINTED AREAS


DULUX Mud Pack



CEILING LININGS

DULUX Lexicon Quarter

Landscaping selections — Banksia



All images are for illustrative purposes only.
Actual landscaping may vary.

Front Landscaping Schedule

Shrubs / Ground coverings


20 mixed variety plants in 150mm pots
(or similar)



Westringia




Correa Alba



Nandina Domestica



Diete



Dianella Silver Streak

Feature Tree

2 Native feature trees as indicated

Turf

Rolled turf to front and rear

Imported top soil (50mm deep)

Toppings

Lilydale or Tuscan (60mm deep) to sides

Garden Beds

Fine pine mulch to garden beds
(50mm deep)

Timber edging to garden beds

Watering

Manual drip line including timer

Driveway

Up to 36m² of coloured concrete
driveway

Rear Landscaping Schedule

Trees

8 Lilly pillies placed around the fence line
(or similar)



Turf

Rolled turf to front and rear

Imported top soil (50mm deep)

Paths

Concrete path to sides of home

Toppings

Lilydale or Tuscan (60mm deep) to sides

Garden Beds

Fine pine mulch to garden beds
(50mm deep)

Edging

Timber edging to garden beds

Watering

Pop up sprinklers to rear lawn areas
(up to 40m²)


Rear patio/verandah/outdoor room

Up to 12m² of grey concrete to rear patio
area or concrete slab to outdoor room
(product specific)

Fencing

Timber paling fencing (up to 70 linear
metres) with single gate to front

Landscaping selections — Correa



All images are for illustrative purposes only.
Actual landscaping may vary.

Front Landscaping Schedule

Shrubs / Ground coverings

20 mixed variety plants in 150mm pots
(or similar)



Westringia



Correa Alba



Nandina Domestica



Diete



Dianella Silver Streak

Feature Tree

2 Native feature trees as indicated

Turf

Rolled turf to front and rear

Imported top soil (50mm deep)

Toppings

Lilydale or Tuscan (60mm deep) to sides

Garden Beds

Fine pine mulch to garden beds
(50mm deep)

Timber edging to garden beds

Watering

Manual drip line including timer

Driveway

Up to 36m² of coloured concrete
driveway

Rear Landscaping Schedule

Trees

8 Lilly pillies placed around the fence line
(or similar)



Turf

Rolled turf to front and rear

Imported top soil (50mm deep)

Paths

Concrete path to sides of home

Toppings

Lilydale or Tuscan (60mm deep) to sides

Garden Beds

Fine pine mulch to garden beds
(50mm deep)

Edging

Timber edging to garden beds

Watering

Pop up sprinklers to rear lawn areas
(up to 40m²)

Rear patio/verandah/outdoor room

Up to 12m² of grey concrete to rear patio
area or concrete slab to outdoor room
(product specific)

Fencing

Timber paling fencing (up to 70 linear
metres) with single gate to front